

Specifications - Bullet Resistant Glass

All of our bullet resistant glass-clad products meet UL752 standards and are UL Listed for Levels 1 through 8.

Glass-Clad Polycarbonate

Bullet resistant glass clad polycarbonate is a No-Spall product offering optimal protection in both interior and exterior applications.

Bullet resistant, no-spall, glass clad polycarbonate is a combination of various layers of glass, polycarbonate, PVB (Poly Vinylbutyral) and/or a ThermoPlastic Urethane (TPU). Typically, a thin layer of glass is used on the exterior (threat side) surface to resist scratching or environmental effects. The interior (rear) face is always a polycarbonate layer with a scratch resistant coating. These various layers are bonded together and come as a single unit. All of our bullet resistant glass-clad products meet UL752 standards and are UL Listed for Levels 1 through 8.

Maximum size is 60"x96". Contact factory for specific details.

| Level | Thickness (approx) | Lbs / SF |
|-------|--------------------|----------|
| 1 | 3/4" | 7.2 |
| 2 | 15/16" | 10.4 |
| 3 | 1 1/8" | 12.2 |
| 4 | 1 1/4" | 14 |
| 5 | 1 5/16" | 15.9 |
| 6 | 1" | 9.8 |
| 7 | 2" | 22 |
| 8 | 2" | 22 |



268 Old Lindale Road • Rome, GA 30161 • 800-329-5323(Phone) • 800-329-5320(Fax)

www.alshielding.com